

SAFETY DATA SHEET

Spritzer

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name Spritzer Product no. AG-114 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture **Cleaning product** Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address **Tetrachem Limited** Unit 1C Arrow Court industrial estate, Kington HR53ER Herefordshire United Kingdom 07401615059 01544 231159 Contact person Joe Pritchard E-mail joe@auto-glanz.co.uk Revision 12/08/2024 **SDS Version** 1.0 1.4. Emergency telephone number Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service) General public: England - Dial 111 to reach NHS 111 (24 hour service) Scotland - Dial 112 to reach NHS 24 (24 hour service) Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service) See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture Skin Irrit. 2; H315, Causes skin irritation. Eye Dam. 1; H318, Causes serious eye damage.
2.2. Label elements

Hazard pictogram(s)



```
Signal word
     Danger
  Hazard statement(s)
     Causes skin irritation. (H315)
     Causes serious eye damage. (H318)
  Precautionary statement(s)
     General
        Keep out of reach of children. (P102)
     Prevention
        Wash hands and exposed skin thoroughly after handling. (P264)
        Wear eye protection/protective gloves/protective clothing. (P280)
     Response
       IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
        Continue rinsing. (P305+P351+P338)
       Immediately call a POISON CENTER/doctor. (P310)
     Storage
        -
     Disposal
  Hazardous substances
     Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts
     Amides, coco, N,N-bis(hydroxyethyl)
     tetrasodium ethylene diamine tetraacetate
  Additional labelling
     Not applicable.
2.3. Other hazards
```

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substanceIdentifiers% w/wClassificationBenzenesulfonic acid, C10-13- alkyl derivs., sodium saltsCAS No.: 68411-30-3 EC No.: 270-115-0 UK-REACH: Index No.:5-10%Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412Amides, coco, N,N- bis(hydroxyethyl)CAS No.: 68603-42-9 EC No.: 271-657-0 UK-REACH: Index No.:3-5%Skin Irrit. 2, H315 Eye Dam. 1, H318 Eye Dam. 1, H3182-butoxyethanol; ethyleneCAS No.: 111-76-23-5%Acute Tox. 4, H302					
alkyl derivs., sodium saltsEC No.: 270-115-0 UK-REACH: Index No.:Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412Amides, coco, N,N- bis(hydroxyethyl)CAS No.: 68603-42-9 EC No.: 271-657-0 UK-REACH: Index No.:3-5% Eye Dam. 1, H318 Eye Dam. 1, H318 Eye Dam. 1, H318	Product/substance	Identifiers	% w/w	Classification	Note
bis(hydroxyethyl) EC No.: 271-657-0 Eye Dam. 1, H318 UK-REACH: Index No.:	,	EC No.: 270-115-0 UK-REACH:	5-10%	Skin Irrit. 2, H315 Eye Dam. 1, H318	
2-butoxyethanol; ethylene CAS No.: 111-76-2 3-5% Acute Tox. 4, H302		EC No.: 271-657-0 UK-REACH:	3-5%		[19]
glycol monobutyl ether EC No.: 203-905-0 Skin Irrit. 2, H315			3-5%		[1]



	UK-REACH: Index No.: 603-014-00-0		Eye Irrit. 2, H319 Acute Tox. 3, H331	
tetrasodium ethylene diamine tetraacetate	CAS No.: 64-02-8 EC No.: 200-573-9 UK-REACH: Index No.: 607-428-00-2	1-3%	Acute Tox. 4, H302 Eye Dam. 1, H318	
2-aminoethanol;ethanolamine	CAS No.: 141-43-5 EC No.: 205-483-3 UK-REACH: Index No.: 603-030-00-8	<1%	Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1B, H314 Acute Tox. 4, H332 STOT SE 3, H336 (SCL: 5.00 %)	[1]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed IF exposed or concerned:



Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x) Carbon oxides (CO / CO2)

Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances. Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product. Avoid contact during pregnancy and while nursing. Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Always store in containers of the same material as the original container.

Storage conditions

5 - 30°C

Dry, cool and well ventilated

Incompatible materials



Acids

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-butoxyethanol; ethylene glycol monobutyl ether Long term exposure limit (8 hours) (ppm): 25 Long term exposure limit (8 hours) (mg/m³): 123 Short term exposure limit (15 minutes) (ppm): 50 Short term exposure limit (15 minutes) (mg/m³): 246 Annotations: BMVG = Biological Monitoring Guidance Value exists Sk = Can be absorbed through the skin and lead to systemic toxicity.

2-aminoethanol;ethanolamine Long term exposure limit (8 hours) (ppm): 1 Long term exposure limit (8 hours) (mg/m³): 2,5 Short term exposure limit (15 minutes) (ppm): 3 Short term exposure limit (15 minutes) (mg/m³): 7,6 Annotations: Sk = Can be absorbed through the skin and lead to systemic toxicity.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	1.5 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	3 mg/kg bw/day
Long term – Local effects - General population	Inhalation	280 µg/m³
Long term – Local effects - Workers	Inhalation	510 μg/m³
Long term – Systemic effects - General population	Inhalation	180 µg/m³
Long term – Systemic effects - Workers	Inhalation	1 mg/m ³
Long term – Systemic effects - General population	Oral	1.5 mg/kg bw/day
Long term – Systemic effects - General population Benzenesulfonic acid, C10-13-alkyl derivs., sodium salt	S	
Long term – Systemic effects - General population		DNEL:
Long term – Systemic effects - General population Benzenesulfonic acid, C10-13-alkyl derivs., sodium salt Duration:	s Route of exposure:	DNEL: 42.5 mg/kg bw/day
Long term – Systemic effects - General population Benzenesulfonic acid, C10-13-alkyl derivs., sodium salt Duration: Long term – Systemic effects - General population	s Route of exposure: Dermal	
Long term – Systemic effects - General population Benzenesulfonic acid, C10-13-alkyl derivs., sodium salt Duration: Long term – Systemic effects - General population Long term – Systemic effects - Workers	s Route of exposure: Dermal Dermal	DNEL: 42.5 mg/kg bw/day 119 mg/kg bw/day

Route of exposure:

PNEC:



Freshwater	70 μg/L
Freshwater sediment	357 µg/kg
Intermittent release (freshwater)	28 μg/L
Marine water	7 μg/L
Marine water sediment	35.7 μg/kg
Sewage treatment plant	100 mg/L
Soil	1.29 mg/kg

2-butoxyethanol; ethylene glycol monobutyl ether

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		8.8 mg/L
Freshwater sediment		34.6 mg/kg
Intermittent release (freshwater)		26.4 mg/L
Marine water		880 µg/L
Marine water sediment		3.46 mg/kg
Predators		20 mg/kg
Sewage treatment plant		463 mg/L
Soil		2.33 mg/kg

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		268 µg/L
Freshwater sediment		8.1 mg/kg
Intermittent release (freshwater)		16.7 μg/L
Marine water		26.8 µg/L
Marine water sediment		6.8 mg/kg
Sewage treatment plant		3.43 mg/L
Soil		35 mg/kg

8.2. Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

Take off contaminated clothing and wash it before reuse.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.



Recommended				
	Type/Category	Standards	5	
Dedicated work clothing should be worn.	-	-		
and protection				
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	-	-	EN374-2	1
e protection				
Туре	Standards			
Safety glasses	EN166			
Orange				
dour / Odour thresho Lemon like H - H in solution 11 (1%) Pensity (g/cm ³) 1.03 inematic viscosity No data available article characteristics Does not apply to lisse changes				



Decomposition temperature (°C) No data available
Data on fire and explosion hazards
Flash point (°C)
No data available
Flammability (°C)
Testing not relevant or not possible due to the nature of the product.
Auto-ignition temperature (°C)
Testing not relevant or not possible due to the nature of the product. Lower and upper explosion limit (% v/v)
Testing not relevant or not possible due to the nature of the product.
Solubility
Solubility in water
Completely soluble
n-octanol/water coefficient (LogKow)
Testing not relevant or not possible due to the nature of the product.
Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product.
9.2. Other information
Evaporation rate (n-butylacetate = 100)
No data available
VOC (g/l)
35
Oxidizing properties
Testing not relevant or not possible due to the nature of the product.
Other physical and chemical parameters No data available.
SECTION 10: Stability and reactivity
10.1. Reactivity
No data available.
10.2. Chemical stability
The product is stable under the conditions, noted in section 7 "Handling and storage".
10.3. Possibility of hazardous reactions
None known. 10.4. Conditions to avoid
Extremes of temperature
10.5. Incompatible materials
Acids
Strong oxidizing agents
10.6. Hazardous decomposition products
The product is not degraded when used as specified in section 1.
SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law
Acute toxicity
Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation



Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met. Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

Amides, coco, N,N-bis(hydroxyethyl) has been classified by IARC as a group 2B carcinogen.

2-butoxyethanol; ethylene glycol monobutyl ether has been classified by IARC as a group 3 carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

- No data available.
- 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

- 12.6. Endocrine disrupting properties
 - This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.
- 12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 4 - Irritant (skin irritation and eye damage)

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.



EWC code Not applicable. Specific labelling Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 14.2 UN / ID UN proper shipping name	14.3 Hazard class(es)	14.4 14.5 Other PG* Env** information:
ADR		-	
IMDG		-	
ΙΑΤΑ		-	

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

- 14.6. Special precautions for user
- Not applicable.
- 14.7. Maritime transport in bulk according to IMO instruments
 - No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

Sources

The Management of Health and Safety at Work Regulations 1999.

- The Health and Safety at Work etc. Act 1974 Regulations 2013.
- Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.



H312, Harmful in contact with skin. H314, Causes severe skin burns and eye damage. H315, Causes skin irritation. H318, Causes serious eye damage. H319, Causes serious eye irritation. H331, Toxic if inhaled. H332, Harmful if inhaled. H336, May cause drowsiness or dizziness. H412, Harmful to aquatic life with long lasting effects. Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity) CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals GWP = Global warming potential IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. The safety data sheet is validated by Spencer Thomas Other A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a



triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en