

#### SAFETY DATA SHEET

# Valet+ Gloss Dressing

SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier Trade name Valet+ Gloss Dressing Product no. AG-135 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture **Cleaning product** Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address **Tetrachem Limited** Unit 1C Arrow Court industrial estate, Kington HR53ER Herefordshire United Kingdom 07401615059 01544 231159 Contact person Joe Pritchard E-mail joe@auto-glanz.co.uk Revision 12/08/2024 **SDS Version** 1.0 1.4. Emergency telephone number Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service) General public: England - Dial 111 to reach NHS 111 (24 hour service) Scotland - Dial 112 to reach NHS 24 (24 hour service) Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service) See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s)

Not applicable.



```
Signal word
Not applicable.
Hazard statement(s)
Not applicable.
Precautionary statement(s)
General
Prevention
Response
Storage
Jisposal
Hazardous substances
Aminomodified Polydimethylsiloxane
Additional labelling
```

EUH210, Safety data sheet available on request.

## 2.3. Other hazards

## Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
2-butoxyethanol; ethylene glycol monobutyl ether	CAS No.: 111-76-2 EC No.: 203-905-0 UK-REACH: Index No.: 603-014-00-0	5-10%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 3, H331	[1]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[1] European occupational exposure limit.

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with



#### him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

#### Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

#### None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

## 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

## Carbon oxides (CO / CO2)

## 5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

#### SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

## 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

#### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage



#### 7.1. Precautions for safe handling

Avoid contact during pregnancy and while nursing. Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Always store in containers of the same material as the original container.

#### Storage conditions

Store in a cool, well ventilated area. Keep container tightly closed. Protect from sunlight.

## Incompatible materials

Bases Strong acids Strong oxidizing agents

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

2-butoxyethanol; ethylene glycol monobutyl ether Long term exposure limit (8 hours) (ppm): 25 Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 123 Short term exposure limit (15 minutes) (ppm): 50 Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 246 Annotations: BMVG = Biological Monitoring Guidance Value exists Sk = Can be absorbed through the skin and lead to systemic toxicity.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### DNFI

No data available.

#### PNEC

2-butoxyethanol; ethylene glycol monobutyl ether

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		8.8 mg/L
Freshwater sediment		34.6 mg/kg
Intermittent release (freshwater)		26.4 mg/L
Marine water		880 µg/L
Marine water sediment		3.46 mg/kg
Predators		20 mg/kg
Sewage treatment plant		463 mg/L
Soil		2.33 mg/kg

#### 8.2. Exposure controls

Apply general control to prevent unnecessary exposure

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.



There are no exposu Exposure limits	ure scenarios implemente	ed for this product.	
	ure limits have not been	defined for the substanc	res in this product
Appropriate technical r		defined for the substance	
	cautions during use of the	e product. Avoid inhalati	on of vapours.
Hygiene measures	J		
In between use of th	he product and at the endecial attention to hands, fo		exposed areas of the body must be washed
Measures to avoid envi No specific requiren			
	sures, such as personal p	protective equipment	
Generally			
	ked protective equipmen	t.	
Respiratory Equipment No specific requiren			
Skin protection			
Recommended	Type/Category	Standards	s
Dedicated work clothing should be worn.	-	-	R
Hand protection			
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	-	-	EN374-2
Eye protection			
Туре	Standards		
Safety glasses	EN166		
SECTION 9: Physical and	chemical properties		
-			
.1. Information on basic Physical state	physical and chemical pr	operties	

Odour / Odour threshold Fruity pH 5 Density (g/cm<sup>3</sup>) Approx 0.98 Kinematic viscosity Testing not relevant or not possible due to the nature of the product. Particle characteristics



Does not apply to liquids.
Phase changes
Melting point/Freezing point (°C) Testing not relevant or not possible due to the nature of the product.
Softening point/range (°C) Does not apply to liquids.
Boiling point (°C)
Testing not relevant or not possible due to the nature of the product.
Vapour pressure Testing not relevant or not possible due to the nature of the product.
Relative vapour density Testing not relevant or not possible due to the nature of the product.
Decomposition temperature (°C) Testing not relevant or not possible due to the nature of the product.
Data on fire and explosion hazards
Flash point (°C) Testing not relevant or not possible due to the nature of the product.
Flammability (°C) Testing not relevant or not possible due to the nature of the product.
Auto-ignition temperature (°C)
Testing not relevant or not possible due to the nature of the product.
Lower and upper explosion limit (% v/v) Testing not relevant or not possible due to the nature of the product.
Solubility
Solubility in water Freely soluble
n-octanol/water coefficient (LogKow) Testing not relevant or not possible due to the nature of the product.
Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product.
9.2. Other information
VOC (g/l) 78
Oxidizing properties
Testing not relevant or not possible due to the nature of the product. Other physical and chemical parameters
No data available.
SECTION 10: Stability and reactivity
10.1. Reactivity
No data available.
10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage".
10.3. Possibility of hazardous reactions
None known.
10.4. Conditions to avoid
Extremes of temperature Sunlight
10.5. Incompatible materials
Bases
Strong acids
Strong oxidizing agents



#### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

#### SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

## Respiratory sensitisation

Based on available data, the classification criteria are not met. Skin sensitisation

Based on available data, the classification criteria are not met. Germ cell mutagenicity

Based on available data, the classification criteria are not met.

## Carcinogenicity

Based on available data, the classification criteria are not met. Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

Long term effects

None known.

#### Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

#### Other information

2-butoxyethanol; ethylene glycol monobutyl ether has been classified by IARC as a group 3 carcinogen.

#### SECTION 12: Ecological information

#### 12.1. Toxicity

No data available.

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

### 12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

#### 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.



## 12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

#### Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 6 - Acute toxicity

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

## Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1	14.2	14.3	14.4	14.5	Other
	UN / ID UN proper shipping name		Hazard class(es)	PG*	Env**	information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

- \* Packing group
- \*\* Environmental hazards

### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

- 14.6. Special precautions for user
  - Not applicable.
- 14.7. Maritime transport in bulk according to IMO instruments No data available.
- SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

## Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

#### Additional information Not applicable.

Sources

The Health and Safety at Work etc. Act 1974 Regulations 2013. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals



(REACH) as retained and amended in UK law. 15.2. Chemical safety assessment No **SECTION 16: Other information** Full text of H-phrases as mentioned in section 3 H302, Harmful if swallowed. H315, Causes skin irritation. H319, Causes serious eye irritation. H331, Toxic if inhaled. Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity) CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals GWP = Global warming potential IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information Not applicable. The safety data sheet is validated by Spencer Thomas



#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en